

Corning® Gosselin™ Product Selection Guide

Issue 7

CORNING



Quality products
for reliable results


Contents

Beginning-to-end Solutions for Microbiology	2	Features of Corning Gosselin Tubes and Closures	45
Corning® Gosselin™ Brand Products	3	Sampling and Inoculation	49
Ask the Scientist	4	Overview	50
Quality Commitment	5	Dippers	51
Product Ordering Information	6	Cutlery	51
Petri Dishes	7	Blender Bags	52
Overview	8	Clips for Bags	52
Contact Dishes	9	Straw Pipets	53
Petri Dishes	9	Transfer Pipets	53
Petri Dishes with Two Compartments	11	Inoculating Loops	54
Petri Dishes for Seed Germination	11	Stirrers	56
Square Petri Dishes	11	Spreaders	56
Bottles	13	Transportation and Disposal	57
Overview	14	Overview	58
Features	15	Waste and Sharp Containers	59
Octagonal Bottles	16	Pipet Container	59
Square Bottles	17	Bags	60
Round Bottles	21	Pocket Resealable Bags	60
Rectangular Bottles	23	Self-adhesive Bags	60
Water Sampling	24	Slide Mailer	61
Octagonal Bottles	25	Metal Closure Bags	61
Square Bottles	26	Autoclave Bags	62
Containers	29	Buckets	63
Overview	30	Tub	63
Straight Containers	31	Equipment	65
Pots	34	Blender	66
Clear Conical Containers	35	Diluter	66
White Conical Containers	35	Pipet Controller	67
Tubes	37	Technical Appendix	69
Tube Size Comparability Chart	38	Features of Corning Gosselin Plasticware	70
Round-bottom Tubes	39	Chemical Compatibility of Corning Gosselin Plasticware	71
Flat-bottom Tubes	41	Traceability	72
Drosophila Culture Tubes	41	Ionization Certificate	72
Conical-bottom Tubes	42	Product Label	72
		Glossary	73
		Indexes	74

Beginning-to-end Solutions for Microbiology



www.corning.com/lifesciences/solutions



For premium quality and performance in quality testing labs, you can count on Corning. In our continuous efforts to improve efficiencies and develop new tools for microbiology applications, we have scientists working in Corning labs doing what you do every day, across the globe. From sampling and preparation to bacteria growth and analysis, our technical experts understand your challenges and the changing regulatory requirements that shape your day-to-day processes.

It is this expertise, plus a 160-year legacy of Corning innovation and manufacturing excellence, that puts us in a unique position to be able to offer high quality, reliable microbiology consumables for quality testing labs. The recent introduction of our Corning® Gosselin™ line of consumables including Petri dishes, dippers and inoculating loops, has completed our portfolio, creating a beginning-to-end solution for quality testing labs across industry segments.



This product selection guide provides a step-by-step guide highlighting the Corning products and brands which support the quality testing process at each stage.

Sampling

Preparation

Testing

Analysis

Disposal

Corning Brands for Microbiology

Corning Gosselin brand products are optimized for both food and beverage and environmental testing laboratories. The line of quality testing consumables complies with International Environmental standards, and includes a range of features to ensure traceability.

For 100 years, Corning has developed special glass for use in both chemical and life science laboratories. PYREX® glassware is made from Type 1, Class A low expansion borosilicate glass that has become the accepted standard in chemistry labs across the globe.

PYREX glassware is available in Europe through SciLabware Limited.

Corning® Gosselin™ Brand Products

Corning has been a pioneering brand of disposable labware for microbiology in Europe since 1965.

Corning Gosselin products offer:


- ▶ A complete range of products to meet your testing needs
- ▶ Manufacturing facility is:
 - CE compliant and US FDA registered for some products
 - Raw materials/resins, compliancy with 94/62/EC and REACH
 - ISO 9001 certified
 - ISO 14001 certified
- ▶ Easily accessible traceability features such as:
 - Peelable labels with lot numbers, expiration date, and sterilization information to insert in your laboratory notebook
 - Sterilization treatment visual indicator on each case
 - Certificates of Compliance can be downloaded on our website



Scope of Applications



Food and Beverage



Environment



Pharmaceutical Industry



Dairy

Ask the Scientist



Corning Scientific Support can help you succeed in any stage of your experiment. With a broad background in different life science disciplines, our support scientists offer valuable help for basic and advanced product support, designing new experiments, using the right product, and delivering the necessary product documentation.

Scientific support at a glance:

- ▶ Pre- and post-sales application support
- ▶ Protocol setup and optimization
- ▶ Help choosing the right product
- ▶ Product documentation and information
- ▶ Product certificates
- ▶ Lot-specific information and reservation
- ▶ Troubleshooting experiments and data
- ▶ Need more? Tell us.

We understand you

- ▶ We are scientists
- ▶ We offer extensive product experience
- ▶ We think out-of-the-box and try to find the best solution for you and your experiment

Contact Us:

Email: ScientificSupportEMEA@corning.com

France: 0800 916 882 | Germany: 0800 101 1153

Luxembourg: 0800 916 882 | Spain: 900 993 195

Switzerland (French): 0800 835 446

Switzerland (German): 0800 835 429 | UK: 0800 376 8660

All other European countries: +31 (0) 206 59 60 51

www.corning.com/emea/en/contact-us.html

Quality Commitment



Corning® Gosselin™ SAS Quality Commitment

Corning Gosselin SAS is ISO 9001 and ISO 14001 certified. The ISO certifications verify our facilities meet international quality system standards. ISO compliance gives our customers an added level of assurance that Corning is committed to continuous improvement. To obtain copies of our ISO certificates, contact our Scientific Support Team at ScientificSupportEMEA@corning.com.

For more specific information on claims, visit the Certificates page at www.corning.com/lifesciences.

Warranty/Disclaimer: Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications

Product Ordering Information

Ordering Products Through Our Distribution Partners

Customers can purchase Corning® Gosselin™ products from our distributors. Our distribution partners will offer our customers a variety of value added services from local inventory and service, to managed services, and preferred programs.

Ordering Products Direct from Corning

Customers who currently have Gosselin accounts can order direct through our Corning Gosselin Customer Service. Our sales, scientific support, and customer service teams remain at your disposal to answer your questions and help you identify products that best fit your expectations.

For all countries except France, Luxembourg, and Belgium:

t: +33 3 28 41 73 75

f: +33 3 28 49 56 92

CSBorrexport@corning.com

For France, Luxembourg and Belgium:

t: +33 3 28 41 34 11

f: +33 3 28 49 56 92

GosselinCSfr@corning.com

Sample request: gossample@corning.com

www.corning.com/microbiology



Hours of Operation:

You can reach our Corning Gosselin Customer Service team Monday through Friday:

8:30 a.m. to 12:30 p.m. and 1:30 to 4:30 p.m.

Product Return Policy

To return Corning Gosselin products, you may contact your customer service representative. In some countries, the order and lot number details are required. Have this information available to obtain a Return Authorization Number. This Return Authorization Number must be referenced on the outside of the shipping carton. Returns without an appropriate Return Authorization Number will be refused and returned at the customer's expense.



Petri Dishes

- Overview** 8
- Contact Dishes** 9
- Petri Dishes** 9
- Petri Dishes with Two Compartments** 11
- Petri Dishes for Seed Germination** 11
- Square Petri Dishes** 11

Overview

Advantages of Corning® Gosselin™ Petri Dishes

- ▶ **Optimal flatness:** To ensure the agar's constant depth.
- ▶ **Adequate clarity:** The injection point situated on the side of the dish bottom optimizes reading even by image analysing systems.
- ▶ **Lightness:** Thanks to research, we have been able to determine the ideal weight of our dishes in order to reduce our customers waste disposal costs while still pursuing our objective: to provide high quality dishes.
- ▶ **Stable stacking:** The stacking ring is specially designed to improve the stacking of dishes and making them more practical to use.
- ▶ **Class 100 manufacturing environment**
- ▶ **Product traceability:** Thanks to the product label on each box, we can trace each production cycle. This label includes the lot number, the Sterilization Assurance Level (SAL), and the expiration date.
- ▶ **Raw materials:** Compliant with the European directives, especially the absence of heavy metals (94/62/EC), food compatibility (1935/2004/CE and 10/2011/CE).

Two Types of Packaging:

With one outer bag:

Packaging type: Standard

Outer bag: 1

Packaging description:

- ▶ Sleeves placed directly in the case



Zero or double outer bags:

Packaging type: Suitable for clean room use

Outer bag: 0 or 2

Packaging description:

- ▶ Sleeves are placed in a sealed bag with bar code
- ▶ Bags placed in a second folded bag
- ▶ Final packaging in a case





Contact Dishes

- ▶ 3/4 vents
- ▶ Crystal Polystyrene
- ▶ Molded grid 10 x 10 mm
- ▶ Manufactured in class 100 environment
- ▶ Easy opening

Easy Opening Contact Dishes (Diam. 65 mm, Height 14.5 mm)

Cat. No.	Vents	Description	Sterile	Units/Sleeve	Sleeves	Outer Bag	Qty/Cs
BP63-08	3	Flat bottom, grip lid	Yes	20	36	2	720
BP63-10	3	Flat bottom	Yes	20	36	2	720
BP63-11	3	Flat bottom	Aseptic	20	36	2	720
BB64-01	4	Domed bottom, grip lid	Yes	20	36	2	720
BB64-02	4	Domed bottom, grip lid	Aseptic	20	36	2	720





Guarantees a 19% saving in agar while maintaining the essential qualities of surface sampling.

Petri Dishes


- ▶ 0 or 6 vents
- ▶ Crystal Polystyrene
- ▶ Optimal flatness
- ▶ Manufactured in class 100 environment
- ▶ Easy opening

Petri Dishes (Diam. 55 mm, Height 14.2 mm)

Cat. No.	Vents	Sterile	Units/Sleeve	Sleeves	Outer Bag	Qty/Cs
BP50-01	0	Aseptic	15	108	1	1620
BP50-02	0	Yes	15	108	1	1620
BP53-03	6	Yes	15	108	2	1620
BP53-06	6	Aseptic	15	108	2	1620



Arrows printed on recyclable sleeve to indicate the direction to open.



Arrows printed on recyclable sleeve to indicate the direction to open.

Petri Dishes

- ▶ 0/3 vents
- ▶ Crystal Polystyrene
- ▶ Optimal flatness
- ▶ Manufactured in class 100 environment
- ▶ Easy opening

Petri Dishes, Clean Room Packaging (Diam. 90 mm, Height 14.2 mm)

Cat. No.	Vents	Sterile	Units/Sleeve	Sleeves	Outer Bag	Qty/Cs
BP90B-101	0	Aseptic	33	25	2	825
BP90B-102	0	Yes	33	25	2	825
BP93B-101	3	Aseptic	33	25	2	825
BP93B-102	3	Yes	33	25	2	825

Petri Dishes, Clean Room Packaging (Diam. 90 mm, Height 16.2 mm)

Cat. No.	Vents	Sterile	Units/Sleeve	Sleeves	Outer Bag	Qty/Cs
BH90B-102	0	Yes	28	25	2	700
BH93B-102	3	Yes	28	25	2	700

Petri Dishes, General Lab Packaging (Diam. 90 mm, Height 14.2 mm)


Cat. No.	Vents	Sterile	Units/Sleeve	Sleeves	Outer Bag	Qty/Cs
SB90-101	0	Aseptic	33	25	0	825
SB93-101	3	Aseptic	33	25	0	825
SB93-102	3	Yes	33	25	0	825

Petri Dishes General Lab Packaging (Diam. 90 mm, Height 16.2 mm)

Cat. No.	Vents	Sterile	Units/Sleeve	Sleeves	Outer Bag	Qty/Cs
SH90-101	0	Aseptic	28	25	0	700
SH93-101	3	Aseptic	28	25	0	700

Petri Dishes (Diam. 140 mm, Height 20.6 mm)

Cat. No.	Vents	Sterile	Units/Sleeve	Sleeves	Outer Bag	Qty/Cs
BP140-01	0	Aseptic	11	16	2	176
BP140-02	0	Yes	11	16	2	176
BP143-06	3	Yes	11	16	2	176
BP143-07	3	Aseptic	11	16	2	176



Petri Dishes with 2 Compartments

- ▶ 3 vents
- ▶ Crystal Polystyrene
- ▶ Optimal flatness
- ▶ Manufactured in class 100 environment
- ▶ 2 compartments
- ▶ Frosted area
- ▶ Easy opening*



Petri Dishes with 2 Compartments (Diam. 90 mm, Height 14.2 mm)

Cat. No.	Vents	Sterile	Units/Sleeve	Sleeves	Outer Bag	Qty/Cs
BI93D-101	3	Aseptic	33	25	2	825
BI93D-102	3	Yes	33	25	2	825

* Allows indexing to facilitate automated pouring of media into their respective compartments.

Petri Dishes for Seed Germination



- ▶ Ideal for seed germination
- ▶ 3 vents
- ▶ Crystal Polystyrene
- ▶ Optimal flatness
- ▶ Manufactured in class 100 environment
- ▶ Easy opening

Petri Dishes for Seed Germination (Diam. 100 mm, Height 25 mm)

Cat. No.	Vents	Sterile	Units/Sleeve	Sleeves	Outer Bag	Qty/Cs
BT93-02	3	Yes	10	50	0	500
BTX93-02	3	Yes	10	50	0	500

Square Petri Dishes



- ▶ 4 vents
- ▶ Crystal Polystyrene
- ▶ Optimal flatness
- ▶ Manufactured in class 100 environment
- ▶ Easy opening

Square Petri Dishes (120 x 120 mm)

Cat. No.	Vents	Sterile	Units/Sleeve	Sleeves	Outer Bag	Qty/Cs
BP124-04	4	Aseptic	14	18	2	252
BP124-05	4	Yes	14	18	2	252



Bottles


- Overview..... 14
- Features..... 15
- Octagonal Bottles 16
- Square Bottles 17
- Round Bottles 21
- Rectangular Bottles..... 23
- Water Sampling 24
 - Octagonal Bottles..... 25
 - Square Bottles..... 26

Overview


Advantages of Corning® Gosselin™ Bottles

- ▶ **Manufacturing process** – All bottles are produced with advanced equipment using extrusion blow molding or injection blow molding technology. Each production lot is subject to inspection throughout the entire production process according to the normative references, which are reinforced by Corning's own specifications.
- ▶ **Bottle shapes** – Corning offers a wide range of bottles: octagonal, round, square, and rectangular. Bottles are available from 30 to 2700 mL, with narrow or wide necks, and many have molded graduations.
- ▶ **Closure systems** – Various closure systems are available, from simple screw caps to tamper-evident hinged caps. All closures are designed with vertical ribs to improve handling.
- ▶ **Packaging** – Our packaging is designed to suit your needs, with individually bagged or pre-assembled bottles wrapped in packs or trays. All bottles are protected by a Polyethylene outer bag within the box to reduce the risk of particle contamination.
- ▶ **Product traceability** – Product labels on each box allow us to trace each production cycle. This label includes lot number and expiry date for sterilized products.
- ▶ **Raw materials** – Compliant with the European directives, including the absence of heavy metals (94/62/EC) and food compatibility (1935/2004/EC and 10/2011/EC).


Features



PET Bottles, Tray Filmed Packaging



PET Bottles, Filmed Packaging




Bottles



Example of use: microbiological media packaging.



All packs have traceability label.











Molded graduations

PET Octagonal Bottles









- ▶ Polyethylene terephthalate (PET) bottles
- ▶ Break resistant
- ▶ Molded graduations
- ▶ Ergonomic shape for easy handling
- ▶ Leak-proof, tamper-evident HDPE screw cap
- ▶ Transparent as glass
- ▶ Available with Sterility Assurance Level (SAL) of 10⁻³

PET Octagonal Bottles









Filmed Pack with Assembled Cap

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Qty/Cs
P125B-50	125	107	53	32	 	Yes	336
P250B-50	250	135	64	32	 	Yes	144
P500B-50	500	172	75	32	 	Yes	120
P1000B-50	1000	214	97	32	 	Yes	48









Tray Filmed Pack with Pre-assembled Cap

P125B-06	125	107	53	32	 	Yes	336
P250B-06	250	135	64	32	 	Yes	144
P500B-12	500	172	75	32	 	Yes	120
P1000B-11	1000	214	97	32	 	Yes	48


Filmed Pack with Pre-assembled Cap

P125B-08	125	107	53	32	 	Yes	336
P250B-03	250	135	64	32	 	Yes	144
P500B-31	500	172	75	32	 	Yes	120
P1000B-03	1000	214	97	32	 	Yes	48


Filmed Pack with Non-assembled Cap

P125B-05	125	107	53	32	 	No	288
P250B-01	250	135	64	32	 	No	144
P500B-09	500	172	75	32	 	No	120
P1000B-06	1000	214	97	32	 	No	48

Bottle Dimension Key



A: Height with cap
B: Width of bottle
C: Internal diameter of neck



Tamper-evident screw cap with inner lip



Tamper-evident screw cap



Watertight and airtight



Square Bottles

- ▶ High-density polyethylene (HDPE) bottles
- ▶ Break resistant
- ▶ Screw cap with wide mouth
- ▶ Translucent
- ▶ Bulk packed in one folded outer bag
- ▶ Available with Sterility Assurance Level (SAL) of 10⁻³


HDPE Square Bottles

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Qty/Cs
LC150A-03	150	95	50 x 50	37		No	300
LC150A-04	150	95	50 x 50	37		No	300
LC150A-05	150	95	50 x 50	37		Yes	300
LC150A-07	150	95	50 x 50	37		No	300
LC150A-09	150	95	50 x 50	37		Yes	300


HDPE Square Bottles with Molded Graduations

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Qty/Cs
LC250-01	250	109	57 x 57	37		No	210
LC250-02	250	109	57 x 57	37		Yes	210
LC250-03	250	109	57 x 57	37		No	210
LC250-04	250	109	57 x 57	37		Yes	210
LC250-06	250	109	57 x 57	37		Yes	210
LC250-09	250	109	57 x 57	37		No	175
LC250-10	250	109	57 x 57	37		No	210
LC250-20*	250	109	57 x 57	37		Yes	182


*Individually bagged.



Screw cap with inner lip



Screw cap with separate seal



Screw cap with wad

Bottle Dimension Key


































A: Height with cap
 B: Width of bottle
 C: Internal diameter of neck



Square Bottles

- ▶ High-density polyethylene (HDPE) bottles
- ▶ Break resistant
- ▶ Screw cap with wide neck
- ▶ Translucent
- ▶ Molded graduations
- ▶ Bulk packed in one folded outer bag
- ▶ Available with Sterility Assurance Level (SAL) of 10⁻³

HDPE Square Bottles


Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Qty/Cs
LC500-01	500	122	76 x 76	58	 	No	175
LC500-02	500	122	76 x 76	58	 	Yes	175
LC500-03	500	122	76 x 76	58	 	Yes	175
LC500-04	500	122	76 x 76	58	 	No	175
LC500-06	500	122	76 x 76	58	 	No	150
LC500-07	500	122	76 x 76	58	 	No	175
LC500-11	500	122	76 x 76	58	 	Yes	175
LC500-16	500	122	76 x 76	58	 	No	150
LC500-27	500	122	76 x 76	58	 	Yes	175
LC1000-01	1000	185	95 x 76	58	 	No	90
LC1000-02	1000	185	95 x 76	58	 	Yes	90
LC1000-04	1000	185	95 x 76	58	 	No	90
LC1000-06	1000	185	95 x 76	58	 	Yes	90
LC1000-07	1000	185	95 x 76	58	 	No	90
LC1000-10	1000	185	95 x 76	58	 	No	90
LC1000-13	1000	185	95 x 76	58	 	Yes	90
LC1000-33	1000	185	95 x 76	58	 	No	90
LC2000-01	2000	230	109 x 96	58	 	No	50
LC2000-03	2000	230	109 x 96	58	 	Yes	50
LC2000-05	2000	230	109 x 96	58	 	No	50
LC2000-07	2000	230	109 x 96	58	 	No	50
LC2000-08	2000	230	109 x 96	58	 	Yes	50
LC2000-09	2000	230	109 x 96	58	 	No	50
LC2000-17	2000	230	109 x 96	58	 	Yes	50

Note:
Other cap colors are available for certain products.


Bottle Dimension Key




A: Height with cap
B: Width of bottle
C: Internal diameter of neck



Screw cap with inner lip



Screw cap with separate seal



Screw cap with wad

Square Bottles


- ▶ High-density polyethylene (HDPE) bottles
- ▶ Break resistant
- ▶ Screw cap with wide neck
- ▶ Translucent or brown
- ▶ Molded graduations
- ▶ Bulk packed in one folded outer bag
- ▶ Nonsterile



HDPE Square Bottles

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Qty/Cs
F2000-02	2000	230	110 x 95	73		50
F2000-12	2000	230	110 x 95	73		50
LC2500A-01	2500	263	109 x 109	77		35
LC2500A-02	2500	263	109 x 109	77		35
LC2500A-03	2500	263	109 x 109	77		35
LC2500A-04*	2500	263	109 x 109	77		35
LC2500A-05	2500	263	109 x 109	77		35
LC2500A-06*	2500	263	109 x 109	77		35
LC2500A-08*	2500	263	109 x 109	77		35
F2700-02**	2700	250	126 x 117	70		30
F2700-12**	2700	250	126 x 117	70		30

*With carrying handle.
 **With molded handle.



Screw cap with wad

Bottle Dimension Key



- A: Height with cap
- B: Width of bottle
- C: Internal diameter of neck















Note:
Other cap colors are available for certain products.

Square Bottles

- ▶ High-density polyethylene (HDPE) bottles
- ▶ Break resistant
- ▶ Translucent
- ▶ Molded graduations
- ▶ Bulk packed in one folded outer bag
- ▶ Available with Sterility Assurance Level (SAL) of 10⁻³





















HDPE Square Bottles

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Qty/Cs
FC510-02	500	148	70 x 70	29	 	Yes	100
FC520-02	500	148	70 x 70	22	 	Yes	100
FC520-08	500	148	70 x 70	22	 	No	100
FC500-03	500	148	70 x 70	37	 	Yes	100
FC1000-50	1000	182	82 x 82	28	 	No	77
FC1000-52	1000	182	82 x 82	28	 	Yes	77

Square Bottles

- ▶ High-density polyethylene (HDPE) bottles
- ▶ Break resistant
- ▶ Screw cap with narrow neck
- ▶ Translucent
- ▶ Bulk packed in one folded outer bag
- ▶ Nonsterile


HDPE Square Bottles

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Qty/Cs
FCP100-01	100	103	39 x 39	20	 	300
FCP100-02	100	103	39 x 39	20	 	300
FCP250-02	250	128	55 x 55	20	 	194
FCP250-03	250	128	55 x 55	20	 	208
FCP500-02	500	149	70 x 70	20	 	100
FCP500-04	500	149	70 x 70	20	 	100
FCP1000-03	1000	184	89 x 89	20	 	60
FCP1000-04	1000	184	89 x 89	20	 	60
FCP2000-03	2000	224	113 x 113	26	 	45
FCP2000-04	2000	224	113 x 113	26	 	45




Note:
Other cap colors are available for certain products.


Bottle Dimension Key



A: Height with cap
B: Width of bottle
C: Internal diameter of neck



Screw cap with inner lip



Screw cap with wad



Tamper-evident screw cap with shaped seal



Hinged cap with inner lip and safety ring




Note:
Other cap colors are available
for certain products.

Round Bottles


- ▶ High-density polyethylene (HDPE) bottles
- ▶ Screw cap with large neck
- ▶ Break resistant
- ▶ Translucent
- ▶ Bulk packed in one folded outer bag
- ▶ Available with Sterility Assurance Level (SAL) of 10⁻³

HDPE Round Bottles

Cat. No.	Volume (ml)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Qty/Cs
LR50A-01	50	77	36	27	B	No	600
LR50A-02	50	77	36	27	A	No	600
LR50A-05	50	77	36	27	B	Yes	600
LR50A-12	50	77	36	27	C	No	600
LR50A-18	50	77	36	27	C	Yes	600
LR100-01	100	80	51	37	B	No	335
LR100-03	100	80	51	37	B	Yes	335
LR100-04	100	80	51	37	A	No	335
LR100-05	100	80	51	37	C	No	335
LR100-12	100	80	51	37	C	Yes	335
LR100-13	100	80	51	37	A	Yes	335
LR150A-01	150	108	51	37	B	No	250
LR150A-02	150	108	51	37	A	Yes	250
LR150A-03	150	108	51	37	A	No	250
LR150A-04	150	108	51	37	B	Yes	250
LR150A-07	150	108	51	37	C	No	250
LR150A-14	150	108	51	37	C	Yes	250
LR250-01	250	125	60	37	B	No	145
LR250-02	250	125	60	37	A	No	145
LR250-04	250	125	60	37	C	No	145
LR250-06	250	125	60	37	B	Yes	145
LR250-07	250	125	60	37	A	Yes	145
LR250-09	250	125	60	37	C	Yes	145



Screw cap with inner lip



Screw cap with separate seal



Screw cap with wad

Bottle Dimension Key



A: Height with cap
B: Width of bottle
C: Internal diameter of neck







































Note:
Other cap colors are available for certain products.

Round Bottles

- ▶ High-density polyethylene (HDPE) bottles
- ▶ Break resistant
- ▶ Screw cap with large neck
- ▶ Translucent
- ▶ Bulk packed in one folded outer bag
- ▶ Available with Sterility Assurance Level (SAL) of 10⁻³


HDPE Round Bottles

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Qty/Cs
LR500-01	500	136	80	58	 	No	140
LR500-02	500	136	80	58	 	Yes	140
LR500-03	500	136	80	58	 	Yes	140
LR500-04	500	136	80	58	 	Yes	140
LR500-05	500	136	80	58	 	No	140
LR500-06	500	136	80	58	 	No	140
LR500-21*	500	136	80	58	 	Yes	135
LR1000-01	1000	174	101	58	 	No	68
LR1000-02	1000	174	101	58	 	Yes	68
LR1000-03	1000	174	101	58	 	No	68
LR1000-04	1000	174	101	58	 	No	68
LR1000-05	1000	174	101	58	 	Yes	68
LR1000-08	1000	174	101	58	 	Yes	68
LR1000-12**	1000	174	101	58	 	Yes	68
LR1000-16**	1000	174	101	58	 	Yes	68
LR2000-01	2000	220	121	57	 	No	25
LR2000-02	2000	220	121	57	 	Yes	25
LR2000-03	2000	220	121	57	 	No	25

*1/bag.
**2/bag.



Bottle Dimension Key

















Rectangular Bottles

- ▶ High-density polyethylene (HDPE) or Polypropylene (PP) bottles
- ▶ Break resistant
- ▶ Reverse graduations
- ▶ Translucent
- ▶ Leakproof closure system
- ▶ Tamper-evident screw cap
- ▶ Bulk packed in one folded outer bag
- ▶ Available with Sterility Assurance Level (SAL) of 10⁻³





Note:
Other cap colors are available for certain products.

HDPE Rectangular Bottles

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Qty/Cs
FV250-15	250	155	60 x 45	20	 	No	312
FV250-09	250	155	60 x 45	20	 	No	312
FV250-05	250	155	60 x 45	20	 	Yes	312
FV500-04	500	200	72 x 52	20	 	Yes	170
FV500-05	500	200	72 x 52	20	 	No	170
FV500-14*	500	200	72 x 52	20	 	Yes	100

*Individually wrapped.

PP Rectangular Bottles

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Qty/Cs
FV250-02	250	155	60 x 45	20	 	Yes	312
FV500-09	500	200	72 x 52	20	 	Yes	170



Tamper-evident screw cap with shaped seal

Bottle Dimension Key



- A: Height with cap
- B: Width of bottle
- C: Internal diameter of neck

Water Sampling

- ▶ Leak-proof, tamper-evident closure systems
- ▶ Large bottle openings to avoid contamination
- ▶ Molded graduations
- ▶ Available pre-dosed with sodium thiosulfate
- ▶ Individually bagged options

Labels

Water Sampling Bottle
For Bacteriology use only

STERILE SAL10⁻³

Date: _____

Lieu de prélèvement:
(Sample point) _____

Type d'eau:
(Water type) _____

Raison:
(Reason) _____

Signature: _____

0 mg/L

128734901

- ▶ Traceable
- ▶ Clearly visible sterility level
- ▶ Clear label distinction
 - Blue labels for natural non-chlorinated water
 - Red and green labels for chlorinated water
- ▶ Designated area for essential information
- ▶ 128 EAN bar code for product traceability

SODIUM THIOSULFATE
DO NOT RINSE - NE PAS RINCER

STERILE SAL10⁻³

Date: _____ T°C: _____

Type d'échantillon:
(Sample type) _____

Type d'eau:
(Water type) _____

Raison:
(Reason) _____

Signature: _____

20 mg/L

128734901

SODIUM THIOSULFATE
DO NOT RINSE - NE PAS RINCER

STERILE SAL10⁻³

Date: _____ T°C: _____

Type d'échantillon:
(Sample type) _____

Type d'eau:
(Water type) _____

Raison:
(Reason) _____

Signature: _____

120 mg/L

128734901

Standards

Compliant with the following standards:

ISO 5667-3 **ISO 5667-3** Quality of water - Water sampling
Part 3: Guidelines for preservation and handling for water sampling

ISO 19458 **ISO 19458** Quality of water - Water sampling for microbiology analysis



PET Octagonal Bottles

- ▶ Polyethylene terephthalate (PET) bottles
- ▶ Break resistant
- ▶ Transparent as glass
- ▶ Molded graduations
- ▶ Label for traceability
- ▶ Tamper-evident screw cap
- ▶ Available with Sterility Assurance Level (SAL) of 10⁻³



PET Octagonal Bottles with Na₂S₂O₃·5H₂O (Diam. 32 mm)

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Thiosulfate Sodium (mg/L)	Qty/Cs
HP250B-50**	250	135	64 x 64	32		Yes	20	144
HP250B-51**	250	135	64 x 64	32		Yes	120	144
HP250B-52*	250	135	64 x 64	32		Yes	20	150
HP250B-53*	250	135	64 x 64	32		Yes	120	150
HP500B-50**	500	172	75 x 75	32		Yes	20	120
HP500B-51**	500	172	75 x 75	32		Yes	120	120
HP500B-52*	500	172	75 x 75	32		Yes	20	90
HP500B-53*	500	172	75 x 75	32		Yes	120	90
HP1000B-50**	1000	214	97 x 97	32		Yes	20	48
HP1000B-51**	1000	214	97 x 97	32		Yes	120	48
HP1000B-52*	1000	214	97 x 97	32		Yes	20	45
HP1000B-53*	1000	214	97 x 97	32		Yes	120	45


*1/Bag
**Filmed pack

PET Octagonal Bottles without Na₂S₂O₃·5H₂O (Diam. 32 mm)


Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Thiosulfate Sodium (mg/L)	Qty/Cs
P250B-51**	250	135	64 x 64	32		Yes	–	144
P250B-52*	250	135	64 x 64	32		Yes	–	150
P500B-51**	500	172	75 x 75	32		Yes	–	120
P500B-52*	500	172	75 x 75	32		Yes	–	90
P1000B-51**	1000	214	97 x 97	32		Yes	–	48
P1000B-52*	1000	214	97 x 97	32		Yes	–	45

*1/Bag
**Filmed pack

Bottle Dimension Key



A: Height with cap
B: Width of bottle
C: Internal diameter of neck





















Tamper-evident screw cap with inner lip

Square Bottles


- ▶ High-density polyethylene (HDPE) bottles
- ▶ Break resistant
- ▶ Graduated surface
- ▶ Translucent
- ▶ Tamper-evident screw cap
- ▶ Bulk packed in one folded outer bag



HDPE Square Bottles with Na₂S₂O₃·5H₂O

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Thiosulfate Sodium (mg/L)	Qty/Cs
HLC250-01	250	109	57 x 57	37	 	Yes	20	210
HLC250-02*	250	109	57 x 57	37	 	Yes	20	182
HFV250-01	250	155	60 x 45	20	 	Yes	20	312
HFV250-02*	250	155	60 x 45	20	 	Yes	20	200
HLC520-01	500	128	75 x 75	55	 	Yes	20	140
HLC520-04*	500	128	75 x 75	55	 	Yes	120	162
HLC1020-01	1000	187	92 x 77	55	 	Yes	20	85
HLC1020-02	1000	187	92 x 77	55	 	Yes	120	85
HLC2020-01	2000	237	110 x 93	58	 	Yes	20	50


*1/Bag.



Screw cap with wad




Tamper-evident screw cap with shaped seal



Screw cap with wad

Bottle Dimension Key



A: Height with cap
 B: Width of bottle
 C: Internal diameter of neck



Square Bottles

- ▶ High-density polyethylene (HDPE) bottles
- ▶ Break resistant
- ▶ Tamper evident leakproof screw cap
- ▶ Translucent
- ▶ Label for traceability
- ▶ Molded graduations
- ▶ Bulk packed in one folded outer bag



HDPE Square Bottles with Na₂S₂O₃·5H₂O

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Thiosulfate Sodium (mg/L)	Qty/Cs
HFC500-01	500	146	70 x 70	37		Yes	20	100
HFC510-01	500	148	70 x 70	29		Yes	20	100
HFC510-02	500	148	70 x 70	29		Yes	120	100
HFC510-03*	500	148	70 x 70	29		Yes	20	100
HFC510-04*	500	148	70 x 70	29		Yes	120	100
HFC520-01	500	160	70 x 70	22		Yes	20	100
HFC520-06	500	160	70 x 70	22		Yes	120	100
HFC520-02*	500	160	70 x 70	22		Yes	20	100
HFC520-07*	500	160	70 x 70	22		Yes	120	100
HFC1000-50	1000	182	82 x 82	28		Yes	20	77
HFC1000-51	1000	182	82 x 82	28		Yes	120	77
HFC1000-53*	1000	182	82 x 82	28		Yes	20	77
HFC1000-52*	1000	182	82 x 82	28		Yes	120	77

*1/Bag.




HDPE Square Bottles without Na₂S₂O₃·5H₂O (Diam. 32 mm)

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap Type	Sterile	Thiosulfate Sodium (mg/L)	Qty/Cs
FC500-12	500	146	70 x 70	37		Yes	–	100
FC510-07	500	148	70 x 70	29		Yes	–	100
FC520-12	500	160	70 x 70	22		Yes	–	100
FC1000-18	1000	182	82 x 82	28		Yes	–	77

Bottle Dimension Key



A: Height with cap
 B: Width of bottle
 C: Internal diameter of neck



Screw cap with wad



Tamper-evident screw cap with shaped seal



Hinged cap with inner lip and safety ring



Containers

Overview	30
Straight Containers	31
Pots	34
Clear Conical Containers	35
White Conical Containers	35

Overview

Advantages of Corning® Gosselin™ Containers

- ▶ **Manufacturing process:** All containers are produced with high-tech equipments using molding technology. Most of our products are assembled in line to avoid any external contaminations. The raw plastics used are virgin and comply with the environmental standards in force. Each production lot is subject to inspection throughout the entire production process according to the standard referenced, which are reinforced by Gosselin's own specifications.
- ▶ **Container shape:** A wide range of straight containers, conical containers, and pots to meet customers' requirements. Containers are available from 25 mL to 1000 mL.
- ▶ **Closure systems:** Closure systems for our containers are suitable for normal use. Closure systems are available with hinged caps, screw caps, or snap caps.
- ▶ **Packaging:** Perfectly adapted to the user's needs: single bag, packing of containers into boxes, screw-capped containers wrapped on trays. All containers are protected by a polyethylene outer bag placed inside the boxes beforehand to avoid particle contamination.
- ▶ **Product traceability:** Thanks to the product label on each box, we can retrace each production cycle. This label includes lot number and expiry date if the product has been sterilized.
- ▶ **Raw materials:** Compliant with European directives, including the absence of heavy metals (94/62/EC) and food compatibility (1935/2004/EC and 10/2011/EC), and CE marking relating to medical devices for *in vitro* diagnostics (98/79/EC).



Products compliant with international standards


Wide scope of applications

Range of products suitable worldwide

Packaging suitable for users' needs

Straight Containers

- ▶ Auto-stable hinged cap
- ▶ Containers and caps made of Polypropylene (PP)
- ▶ Optimized volume for milk sampling
- ▶ Shock resistant
- ▶ With or without writing area
- ▶ Bulk packed in one folded outer bag



Auto-stable cap

PP Transparent Straight Containers, Hinged Cap

Cat. No.	Volume (mL)	Height (mm)	Diam. (mm)	Cap Type	Writing Area	Sterile	Qty/Cs
FL35-02	35	66	28		No	No	950
FL52-01	45	85	29		Yes	No	650
FL60-01*	50	78	31		Yes	No	650
FL60-04*	50	78	31		Yes	Yes	650
FL100-01*	90	80	43		Yes	No	350
FL100-05*	90	80	43		Yes	Yes	350
FL300-01*	300	88	75		No	No	240
FL300-04*	300	88	75		No	Yes	240

*FL60 graduated every 10 mL, FL100 graduated at 80 mL, FL300 graduated every 25 mL.

PP Blue Straight Containers, Hinged Cap with Anti-drip Lip

Cat. No.	Volume (mL)	Height (mm)	Diam. (mm)	Cap Type	Writing Area	Sterile	Qty/Cs
FL60-05*	50	78	31		Yes	No	650
FL100-04*	90	80	43		Yes	No	350
FL300-02*	300	88	75		No	No	240

*FL60 graduated every 10 mL, FL100 graduated at 80 mL, FL300 graduated every 25 mL.



Hinged cap with anti-drip lip

Straight Containers

- ▶ Clear Polypropylene (PP) containers
- ▶ Polyethylene leakproof screw-cap
- ▶ 4 cap colors: blue, green, red, and white
- ▶ Traceability on each product
- ▶ Bulk packed in one folded outer bag




Lot number and expiry date laser marking on each container without label



PP Clear Straight Containers

Cat. No.	Volume (mL)	Height (mm)	Diam. (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
TP30C-002	40	70	30		Yes	100	1000
TP30C-032*	40	70	30		Yes	100	1000
TP30C-004	40	70	30		Yes	100	1000
TP30C-003	40	70	30		Yes	100	1000
TP30C-001	40	70	30		Yes	100	1000
TP30C-021*	40	70	30		Yes	100	1000
TP30C-012	40	70	30		No	100	1000
TP30C-014	40	70	30		No	100	1000
TP30C-013	40	70	30		No	100	1000
TP30C-011	40	70	30		No	100	1000
TP35C-032*	60	70	33		Yes	70	700
TP35C-002	60	70	33		Yes	70	700
TP35C-062*	60	70	33		Yes	30/tray	600
TP35C-052	60	70	33		Yes	30/tray	600
TP35C-042	60	70	33		Yes	1/bag	500
TP35C-025**	60	70	33		Yes	70	700
TP35C-004	60	70	33		Yes	70	700
TP35C-021*	60	70	33		Yes	70	700
TP35C-001	60	70	33		Yes	70	700
TP35C-012	60	70	33		No	70	700
TP35C-014	60	70	33		No	70	700
TP35C-013	60	70	33		No	70	700
TP35C-011	60	70	33		No	70	700

*White label.
**Includes spatula.



Screw cap with inner lip

Straight Containers


- ▶ Clear Polypropylene (PP) containers
- ▶ Polyethylene leakproof screw-cap
- ▶ 4 cap colors: blue, green, red, and white



PP Clear Straight Containers

Cat. No.	Volume (mL)	Height (mm)	Diam. (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
TP52C-002	125	74	52		Yes	380	380
TP52C-032*	125	74	52		Yes	380	380
TP52C-023**	125	74	52		Yes	380	380
TP52C-004	125	74	52		Yes	380	380
TP52C-003	125	74	52		Yes	380	380
TP52C-001	125	74	52		Yes	380	380
TP52C-021*	125	74	52		Yes	380	380
TP52C-012	125	74	52		No	380	380
TP52C-022**	125	74	52		No	380	380
TP52C-014	125	74	52		No	380	380
TP52C-013	125	74	52		No	380	380
TP52C-011	125	74	52		No	380	380
TP53C-002	180	102	52		Yes	264	264
TP53C-032*	180	102	52		Yes	264	264
TP53C-052**	180	102	52		Yes	264	264
TP53C-042	180	102	52		Yes	1/bag	264
TP53C-004	180	102	52		Yes	264	264
TP53C-003	180	102	52		Yes	264	264
TP53C-001*	180	102	52		Yes	264	264
TP53C-021*	180	102	52		Yes	264	264
TP53C-012	180	102	52		No	264	264
TP53C-023	180	102	52		No	264	264
TP53C-014	180	102	52		No	264	264
TP53C-013	180	102	52		No	264	264
TP53C-011	180	102	52		No	264	264

*White label.
**Includes spatula.



Screw cap with inner lip

Containers











Pots

- ▶ White Polypropylene (PP) pots
- ▶ Polypropylene screw-cap
- ▶ Highly shock resistant
- ▶ Nonsterile
- ▶ Bulk packed in one folded outer bag



Seal

White PP Pots

Cat. No.	Volume (mL)	Height (mm)	Diam. (mm)	Cap Type	Qty/Cs
PV30-01	30	32	40		500
PV75-01	75	67	41		400
PV100-24	100	48	54		300
PV125-01	125	60	54		300
PV500-01	500	98	83		90
PR500-02*	500	72	101		160
PR800-01*	775	106	101		100
PR1050-01*	1000	138	100		80
PR1000-01*	1070	106	120		90
PR1000-02*	1070	106	120		70

*With seal.















Clear Conical Containers

- ▶ Clear Polypropylene (PP) containers
- ▶ Polyethylene snap-cap
- ▶ Molded graduations
- ▶ Bulk packed in one folded outer bag



PP Clear Conical Containers









Cat. No.	Volume (mL)	Height (mm)	Diam. (mm)	Cap Type	Sterile	Qty/Cs
PC200A-05	200	88	62		No	660
PC200A-03	200	88	62		No	220
PC200A-02	200	88	62		Yes	220
PC200A-01	200	88	62		No	660
PC400-06	400	100	85		No	460
PC400-09	400	100	85		No	185
PC400-03	400	100	85		Yes	185
PC400-01	400	100	85		No	460
PC1000-03	1000	130	105		No	250
PC1000-09	1000	130	105		No	120
PC1000-05	1000	130	105		Yes	80
PC1000-02	1000	130	105		No	250


White Conical Containers

- ▶ White Polypropylene (PP) containers
- ▶ Clear polyethylene leakproof snap cap
- ▶ Molded internal graduations
- ▶ Bulk packed in one folded outer bag



White PP Conical Containers

Cat. No.	Volume (mL)	Height (mm)	Diam. (mm)	Cap Type	Sterile	Qty/Cs
PC200A-11	200	88	62		No	660
PC200A-07	200	88	62		Yes	220
PC200A-04	200	88	62		No	660
PC400-05	400	100	85		Yes	185
PC400-02	400	100	85		No	460
PC1000-11	1000	130	105		No	120
PC1000-04	1000	130	105		Yes	80
PC1000-13	1000	130	105		No	250




Tubes

Tube Size Comparability Chart	38
Round-bottom Tubes	39
Flat-bottom Tubes	41
Drosophila Culture Tubes	41
Conical-bottom Tubes	42

Tube Size Comparability Chart















Round-bottom Tubes



- ▶ Centrifugation up to 3000 g with a suitable adaptor in a balanced rotor
- ▶ Compatible with automation systems
- ▶ For laboratory use
- ▶ Polystyrene (PS) or Polypropylene (PP)

PS Round-bottom Tubes


Cat. No.	Volume (mL)	Height (mm)	Diam. Ext (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
TL40-02	2	42.5	10.9		No	1500	6000
TL40-04	2	42.5	10.9		Yes	1500	5000
TL75-01	3.5	75	11.8		No	500	3000
TL75-04	3.5	75	11.8		Yes	625	2500
TK75-001	5	74.5	12.8		No	500	2500
TK75-006	5	74.5	12.8		Yes	500	2500

PP Round-bottom Tubes


Cat. No.	Volume (mL)	Height (mm)	Diam. Ext (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
TL75-02	3.5	75	11.8		No	500	2500
TL75-08	3.5	75	11.8		Yes	625	2500
TK75-003	5	74.5	12.8		No	500	2000
TK75-018	5	74.5	12.8		Yes	500	2000



Straight plug





Winged plug





Round-bottom Tubes

- ▶ Centrifugation up to 3000 g for Polystyrene (PS)
- ▶ Centrifugation up to 6400 g for Polypropylene (PP)
- ▶ Compatible with automation systems
- ▶ For laboratory use

PS Round-bottom Tubes

Cat. No.	Volume (mL)	Height (mm)	Diam. Ext (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
TR95-22	10	95	15.4		No	250	1,250
TR95-24	10	95	15.4		Yes	250	1000



PP Round-bottom Tubes


Cat. No.	Volume (mL)	Height (mm)	Diam. Ext (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
TR95-23	10	95	15.4		No	250	1,250
TR95-04	10	95	15.4		Yes	250	1000

PP Round-bottom Tubes


- ▶ Skirt-bottom
- ▶ Centrifugation up to 3000 g with a suitable adaptor in a balanced rotor
- ▶ Compatible with automation systems
- ▶ For laboratory use



Cat. No.	Volume (mL)	Height (mm)	Diam. Ext (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
TP10-03	10	96.5	15.8		No	250	1000
TP10-01	10	96.5	15.8		Yes	250	1000



Winged plug





Screw cap




Flat-bottom Tubes

- ▶ Centrifugation up to 3000 g for Polypropylene (PP)
- ▶ Leakproof screw cap
- ▶ Self-standing
- ▶ Molded graduations
- ▶ Short thread screw cap

PP Flat-Bottom Tubes

Cat. No.	Volume (mL)	Height (mm)	Diam. Ext (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
TP5-03	7	54	16.6		No	500	1,800
TP5-14	7	54	16.6		Yes	400	1,800




Screw cap

Drosophila Culture Tubes

- ▶ Self-standing
- ▶ Anti-static treatment for Drosophila breed culture
- ▶ Polystyrene (PS)


PS Drosophila Culture Tubes

Cat. No.	Volume (mL)	Height (mm)	Diam. Ext (mm)	Sterile	Pcs/Bag	Qty/Cs
FLY35-02	30	95	24.6	No	Bulk	500
FLY35-03	30	95	24.6	No	Tray	10 x 100
FLY50-01	50	95	28.7	No	Bulk	400
FLY50-02	50	95	28.7	No	Tray	6 x 100




Conical-bottom Tubes

- ▶ Centrifugation up to 5400 g for Polystyrene (PS)
- ▶ Compatible with automation systems



PS Conical-bottom Tubes

Cat. No.	Volume (mL)	Height (mm)	Diam. Ext (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
CC21-01	10	82	21.1		No	250	1250
CC21-02	10	82	21.1		Yes	250	1000




Winged plug

- ▶ Centrifugation up to 8000 g for Polypropylene (PP)
- ▶ Printed graduation
- ▶ Writing area
- ▶ Leakproof screw cap



PP Conical-bottom Tubes

Cat. No.	Volume (mL)	Height (mm)	Diam. Ext (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
TC15A-03	15	118.5	17.1		No	25	500
TC15A-01	15	118.5	17.1		Yes	25	500
TC50-01	50	113.5	29.2		No	25	500
TC50-04	50	113.5	29.2		Yes	25	500





Screw cap with inner lip

Conical Winged-bottom Tubes

- ▶ Centrifugation up to 3000 g with a suitable adaptor in a balanced rotor
- ▶ Compatible with automation systems

PS Conical Winged-bottom Tubes (13 mL)



Cat. No.	Volume (mL)	Height (mm)	Diam. Ext (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
CCA21-02	13	94	21.5		No	200	1800




Conical-bottom Tubes with Skirt

- ▶ Centrifugation up to 3000 g
- ▶ Leakproof screw cap
- ▶ Skirt-bottom, self-standing
- ▶ Printed graduation
- ▶ Writing area

Polypropylene Conical-bottom Tube with Skirt (50 mL)

Cat. No.	Volume (mL)	Height (mm)	Diam. Ext (mm)	Cap Type	Sterile	Pcs/Bag	Qty/Cs
TU50-012	50	114.5	29.2		No	25	500
TU50-013	50	114.5	29.2		Yes	25	500



Screw cap with inner lip





Closures

Features of Corning® Gosselin™ Tubes and Closures 46



Features of Corning® Gosselin™ Tubes and Closures

FIT		CAP TYPE				CAP COLORS			
Tube Codes	Diam. (mm)	 Screw	 Straight	 Winged	Material	White	Red	Blue	Green
TL40	9		B90		Polyethylene	B90-03			
TL75/ TC12	10			BA100	Polyethylene	BA100-03	BA100-32	BA100-31	BA100-34
TK75	11		B110		Polyethylene	B110-03			
TK75	11			BA110	Polyethylene	BA110-23	BA110-22	BA110-21	BA110-24
TR95	13.5		B135		Polyethylene	B135-23	B135-22	B135-21	
TR95	13.5			BA135	Polyethylene	BA135-03	BA135-02	BA135-01	BA135-04
CC21/ CCA21	18.5		B185		Polyethylene		B185-12		
TP5/ TP10	14	BV160	B300		Polyethylene	BV160-13	BV160-02		

Advantages of Corning Gosselin Tubes and Closures

- Manufacturing process:** All closures and tubes are produced with high-tech equipment using injection molding technology. The raw plastics used are virgin and comply with the current environmental standards. Each production lot is subject to inspection throughout the entire production process according to the standard references, which are reinforced by Gosselin's own specifications.
- Tubes shapes:** Wide range of tubes: round-bottom, conical-bottom, flat-bottom, winged-bottom, can be used with the different analysers is on the market.
- Resistance:** Most of our tubes are designed to withstand centrifugation up to a maximum at 3000 g with a suitable adaptor in a balanced rotor.
- Closures:** Our closures are suitable for different usage of tubes and applications. That's why we offer straight, winged, or screw caps. All closures are vertically ribbed for easier grip.
- Packaging:** All tubes are protected with a polyethylene outer bag placed inside the boxes beforehand to prevent any risk of particle contamination.
- Product traceability:** Thanks to the product label on each box, we can trace each production cycle. This label includes lot number and expiry date if the product has been sterilized.
- Raw materials:** Compliant with the European directives in force, especially the absence of heavy metals (CE N°1935/2004), food compatibility (94/62/EC) and CE marking relating to medical devices for *in vitro* diagnostics (98/79/EC).

CAP COLORS							PACKAGING	
Yellow	Black	Pink	Grey	Orange	Mauve	Natural	Pcs/Bag	Qty/Cs
							1000	20000
BA100-35	BA100-00	BA100-20	BA100-37	BA100-60	BA100-39	BA100-38	3000	15000
						B110-08	4000	16000
BA110-25	BA110-00	BA110-20		BA110-60	BA110-29	BA110-28	2500	15000
							2000	12000
				BA135-60		BA135-08	1500	6000
							1000	6000
							1500	6000



Sampling and Inoculation

- Overview.....50
- Dippers51
- Cutlery51
- Blender Bags52
- Clips for Bags.....52
- Straw Pipets.....53
- Transfer Pipets.....53
- Inoculating Loops.....54
- Stirrers.....56
- Spreaders56


Overview

Advantages of Sampling and Inoculation Products

- ▶ **Use:** A full range of disposable products from sampling to inoculation. Packaging has been designed to meet the user's expectations (individual wrapping, multiple packs). Our products are adapted in terms of packaging and product specification.
- ▶ **Packaging:** All Corning® Gosselin™ products are protected by a polyethylene outer bag placed inside the boxes beforehand to prevent any risk of particle contamination.
- ▶ **Product traceability:** Thanks to the product label on each box, we can retrace each production cycle. This label includes lot number and expiry date if the product has been sterilized.
- ▶ **Raw materials:** Compliant with the European directives in force, especially the absence of heavy metals (CE N°1935/2004) and food compatibility (94/62/EC).

From Sampling to Inoculation





Dippers with Removable Handle

- ▶ Blue Polypropylene (PP) containers
- ▶ Removable handle
- ▶ Single resealable bag
- ▶ Tamper-evident
- ▶ Sampling/Transportation

PP Dippers with Removable Handle

Cat. No.	Volume (mL)	A (mm)	B (mm)	Diam. (mm)	Sterile	Pcs/Bag	Qty/Cs
TAT30C-01*	40	70	275	30	Yes	1	250
TAF11-01**	90	80	290	43	Yes	1	150
TAT52C-01*	125	74	275	52	Yes	1	100
TAT53C-02*	180	102	305	52	Yes	1	100

*Screw cap.
**Hinged cap.

Cutlery

- ▶ Strong Polystyrene (PS) cutlery
- ▶ Complete range
- ▶ Sampling



PS Cutlery

Cat. No.	Description	Volume (mL)	Length (mm)	Sterile	Pcs/Bag	Qty/Cs
COU-02	Knife	–	175	Yes	1	1000
FOU-01	Fork	–	155	Yes	1	1000
CUIP-01	Small spoon	2	125	Yes	1	1000
CUIG-01	Large spoon	8	150	Yes	1	1000
CFM-01	Multifunction cutlery	–	180	Yes	1	500



Multifunction cutlery


Blender Bags

- ▶ Polyethylene bags
- ▶ Samples blending
- ▶ Highly resistant
- ▶ Traceability on each filter bag



Blender Bags without Filter

Cat. No.	Volume (mL)	HxL (mm)	Thickness (µm)	Sterile	Packaging	Qty/Box	Qty/Cs
SM1-01	80	150 x 105	70	Yes	25	60 x 3	4500
SM2-02	400	300 x 180	70	Yes	25	20 x 5	2500
SM2-01	400	300 x 180	70	Yes	50	10 x 5	2500
SM3-01	3500	510 x 380	70	Yes	25	5 x 4	500



Blender Bags with Filter

Cat. No.	Volume (mL)	HxL (mm)	Thickness (µm)	Sterile	Packaging	Qty/Box	Qty/Cs
BBAG-03*	400	300 x 190	62	Yes	25	20 x 3	1500
BBAG-04*	400	300 x 190	62	Yes	50	10 x 3	1500
FBAG-03**	400	300 x 190	62	Yes	25	20 x 3	1500
FABG-04**	400	300 x 190	62	Yes	50	10 x 3	1500

*Side filter
**Full filter



Traceability on each filter bag

Clip for Bags

Cat. No.	Color	Sterile	Pcs/Bag	Qty/Box	Qty/Cs
CLIP-01	Blue/White	No	50	200	1000



Straw Pipets

- ▶ Polypropylene (PP) straw pipets
- ▶ Packed in tamper-evident resealable plastic bag
- ▶ Liquid sampling
- ▶ Universal size




PP Straw Pipets

Cat. No.	Volume (mL)	Length (mm)	Sterile	Pcs/Bag	Qty/Box	Qty/Cs
EPI1B-01	1	190	Yes	25	1000	12000
EPI1B-03	1	190	Yes	40	1000	12000
EPI1B-05	1	150	Yes	100	1000	12000
EPI24B-01	2.2	240	Yes	25	240	6000
EPI24B-02	2.2	240	Yes	50	120	6000
EPI5-01	5	187	Yes	10	300	3600

Transfer Pipets

- ▶ Polyethylene (PE) graduated pipets
- ▶ Supple
- ▶ Complete and quick removal of liquid



PE Transfer Pipets

Cat. No.	Volume (mL)	Length (mm)	Sterile	Packaging	Qty/Box	Qty/Cs
PAS1-00	1	150	No	—	500	5000
PAS1A-01*	1	150	Yes	1	200	2000
PAS3-00	3	150	No	—	500	5000
PAS3A-01*	3	150	Yes	1	200	2000

*Peelable bag.

Inoculating Loops

- ▶ Highly ergonomic
- ▶ Flexible Polystyrene (PS)
- ▶ Gentle on agar
- ▶ Spherical extremity (1 μ L and 10 μ L)
- ▶ Packed in tamper-evident resealable bags

PS Inoculating Loops – Spherical Extremity

Cat. No.	Volume (μ L)	Length (mm)	Color	Sterile	Pcs/Bag	Pcs/Box	Qty/Cs
OS1B-01	1	195	Green	Yes	20	150 x 3	9000
OS10B-02	10	195	Blue	Yes	20	150 x 3	9000



Spherical Extremity – 1 μ L



Spherical Extremity – 10 μ L

Inoculating Loops

- ▶ Highly ergonomic
- ▶ Flexible Polystyrene (PS)
- ▶ Gentle on agar
- ▶ Needle extremity (1 μ L and 10 μ L)
- ▶ Packed in tamper-evident resealable plastic bags

PS Inoculating Loops – Needle Extremity

Cat. No.	Volume (μ L)	Length (mm)	Color	Sterile	Pcs/Bag	Pcs/Box	Qty/Cs
OS1-01	1	192	Crystal green	Yes	20	150 x 3	9000
OS10-02	10	194	Crystal blue	Yes	20	150 x 3	9000



Needle Extremity – 1 μ L



Needle Extremity – 10 μ L



Stirrers

- ▶ Polystyrene stirrers
- ▶ Packed in tamper-evident resealable bag
- ▶ Homogenization

Stirrers

Cat. No.	Length (mm)	Color	Sterile	Pcs/Bag	Pcs/Box	Qty/Cs
AGI-04	150	White	No	60	1,400	7,200
AGI-06	150	White	Yes	5	200 x 5	1,440



Spreaders

- ▶ Polystyrene spreaders
- ▶ Packed in tamper-evident resealable bags

Spreaders, L-shape, Curved End

Cat. No.	Length (mm)	Color	Sterile	Pcs/Bag	Pcs/Box	Qty/Cs
ETAR-06	148	White	Yes	1	400	2000
ETAR-02	148	White	Yes	5	400	4000
ETAR-01	148	White	Yes	25	1000	5000
ETAR-05	148	White	Yes	50	1,200	6000



Spreaders, T-shape, More Precise

Cat. No.	Length (mm)	Color	Sterile	Pcs/Bag	Pcs/Box	Qty/Cs
ETAT-03	150	Green	Yes	1	300	1500
ETAT-01	150	Green	Yes	5	500	2500
ETAT-04	150	Green	Yes	25	700	3,500



Transportation and Disposal

Overview	58
Waste and Sharp Containers	59
Pipet Container	59
Bags	60
Pocket Resealable Bags	60
Self-adhesive Bags	60
Slide Mailer	61
Metal Closure Bags	61
Autoclave Bags	62
Buckets	63
Tub	63

Overview

Advantages of Transportation and Disposal Range of Products

- ▶ **Use:** These products meet the usual requirements for the different applications (clinical, microbiology, industrial). Our transportation products comply with industry standards where applicable.
- ▶ **Packaging:** All products are protected by a polyethylene outer bag placed inside the box beforehand to avoid any risk of particle contamination.
- ▶ **Product traceability:** Thanks to the product label on each box, we can trace each production cycle. This label includes lot number and expiry date if the product has been sterilized.
- ▶ **Raw materials:** Compliant with the European directives in force, especially the absence of heavy metals (CE N°1935/2004) and food compatibility (94/62/EC).

Transportation and Disposal





Waste and sharp container
(Cat. No. COX600A-02)

Waste and Sharp Containers

- ▶ Medical and portable use
- ▶ Polypropylene body
- ▶ Autoclavable
- ▶ Definitive tamper-resistant closure
- ▶ Nonsterile

BS 7320
NF X 30-511

Waste and Sharp Containers

Cat. No.	Volume (mL) Useful Capacity	Height (mm)	Length (mm)	Width (mm)	Qty/Cs
COX600A-02	510	125	117	73	70
COX800A-02	690	165	116	74	65
COX1100A-02	930	225	115	74	60
COX1800A-02	1590	140	192	126	45
COX4500A-02	3450	278	190	129	42
COX7000A-02	4870	390	190	133	25



Pipet Container

- ▶ Medical and portable use
- ▶ Polypropylene body
- ▶ Autoclavable
- ▶ Definitive tamper-resistant closure
- ▶ Nonsterile

Pipet Container

Cat. No.	Volume (mL)	Height (mm)	Length (mm)	Qty/Cs
PIPB-01	5000	166	343 x 155	16



Double pocket resealable bags

Pocket Resealable Bags

- ▶ Polyethylene resealable bags
- ▶ Quick closure system
- ▶ Double pocket
- ▶ Transport
- ▶ Nonsterile

Double Pocket Resealable Bags

Cat. No.	Length (mm)	Color	Qty/Cs
SP2-18	125 x 170	Natural	1000
SP2-01	125 x 170	Blue	1000
SP2-02	125 x 170	Red	1000
SP2-05	125 x 170	Yellow	1000
SP4-38	150 x 200	Natural	1000
SP5-08	160 x 220	Natural	1000
SP8-08	200 x 300	Natural	1000
SP8-01	200 x 300	Blue	1000

Self-adhesive Bags

- ▶ Polyethylene (LDPE) self-adhesive bag
- ▶ With or without absorbent
- ▶ With writing area
- ▶ Biohazard labeling
- ▶ Double pocket
- ▶ Nonsterile



Self-adhesive Bags

Cat. No.	With Absorbent	Length (mm)	Thickness (µm)	Qty/Cs
SFAB1727-08	No	170 x 270	40	2000
SFAB1727-28	Yes	170 x 270	40	500



Biohazard sign on printed bags



Slide Mailer

- ▶ Polypropylene slide mailer
- ▶ For two slides
- ▶ Snap closure
- ▶ Slide protection
- ▶ Transport of microscope slides
- ▶ Nonsterile

Slide Mailer

Cat. No.	Length (mm)	Height (mm)	Qty/Cs
PLP-01	72 x 85	5	700



Metal Closure Bags


- ▶ Polyethylene bags
- ▶ Quick closure system
- ▶ Single pocket
- ▶ Sampling and transport
- ▶ Nonsterile

Metal Closure Bags

Cat. No.	Volume (mL)	Length (mm)	Thickness (µm)	Qty/Box	Qty/Cs
SBAPE7518-01*	150	76 x 178	63	500	1000
SBA9518-01**	210	89 x 178	76	500	1000
SBAPE1123-01*	450	114 x 229	63	500	1000
SBA1123-01**	450	114 x 229	63	500	1000
SBAPE1523-01*	650	140 x 229	76	500	1000
SBA1423-01**	650	140 x 229	76	500	1000
SBA1538-01**	1500	140 x 382	76	500	1000
SBAPE1930-01*	1650	178 x 305	76	250	1000

*With writing area.

**Without writing area.



Metal closures



Wad of 100 bags



Biohazard sign on printed bags

Autoclave Bags

- ▶ Polypropylene resistant bags
- ▶ Every bag is 40 µm thick
- ▶ Wide range of volumes (3000 mL to 33000 mL)
- ▶ Nonsterile

Transparent Autoclave Bags

Cat. No.	Volume (mL)	Height (mm)	Length (mm)	Thermal Resistance	Qty/Cs
SA03-01	3000	400	255	134°C	500
SA09-01	9000	500	300	134°C	500
SA14-01	14000	600	400	134°C	500
SA21-01	21000	780	400	134°C	500
SA33-01	33000	780	600	134°C	500

Biohazard Logo Printed Autoclave Bags

Cat. No.	Volume (mL)	Height (mm)	Length (mm)	Thermal Resistance	Qty/Cs
SA03-10	3000	400	255	134°C	500
SA09-10	9000	500	300	134°C	500
SA14-10	14000	600	400	134°C	500
SA21-10	21000	780	400	134°C	500
SA33-10	33000	780	600	134°C	500

Recommendation:

Bags must not be tightly sealed to withstand the temperature recommended for 20 minutes in autoclave.

Buckets

- ▶ White Polypropylene buckets
- ▶ Closure with tamper-evident seal
- ▶ Carrying handle
- ▶ Nonsterile



Polypropylene Buckets

Cat. No.	Volume (mL)	Height (mm)	Diam. (mm) Inside Top	Diam. (mm) Outside-bottom	Closure	Qty/Cs
JT30-01	3000	139	184	170		80
JT38-01	3800	177	184	166		75
JT57-05	5700	195	210	191		45
JT10-01	10700	264	251	226		20
JT16-01	16000	275	311	286		10

Tub

- ▶ White Polypropylene square tub
- ▶ Snap cap
- ▶ Opaque
- ▶ Nonsterile



Polypropylene Tub

Cat. No.	Volume (mL)	Height (mm)	Diam. (mm) inside Top	Diam. (mm) Outside-bottom	Closure	Qty/Cs
BAC25-02	2500	115	180	150		144



Equipment

Corning® Gosselin™ Blender 66

Corning Gosselin Diluter 66

Corning Gosselin Pipet Controller 67





Corning® Gosselin™ Blender

Easy to Clean

- ▶ Removable stainless steel paddles
- ▶ Autoclavable paddles and door
- ▶ Removable blending chamber
- ▶ Built-in waste drawer

Adjustable Speed, Time, and Blending Strength


- ▶ Blending capacity: 80 to 400 mL bags
- ▶ Program setting mode (9 programs)
- ▶ Adjustable timer: 10 seconds to 210 seconds, or continuous
- ▶ Adjustable speed (strokes/min.): slow (450), normal (550), and fast (650)

Other Features

- ▶ Low noise level (51 dBA)

Corning Gosselin Blender

Cat. No.	Description	Qty/Cs
S-Blender-1	Blender 220V	1
S-Blender-1A	Blender 110V	1



Corning Gosselin Diluter

Easy to Use

- ▶ Includes a removable bag holder
- ▶ Intuitive software with pictograms
- ▶ Dual pump mode to reduce dilution time
- ▶ Recordable dilution parameters

Accurate

- ▶ Weighing accuracy $\leq 1\%$ for weights greater than 5 g
- ▶ Dilution accuracy $< 1\%$

Gosselin Diluter

Cat. No.	Description	Qty/Cs
S-Diluter-1	Diluter	1



Corning® Gosselin™ Pipet Controller

- ▶ Designed for manual dispensing
- ▶ High aspiration speed
- ▶ Polytetrafluoroethylene (PTFE) filters protect against overfilling
- ▶ Sensitive valves for precise work with low volume pipets
- ▶ UV resistant body
- ▶ Autoclavable pipet holder
- ▶ Warranty: 1 year

Corning Gosselin Pipet Controller Kit

Cat. No.	Description	Qty/Cs
PCKIT-02	Pipet controller, 2 Polypropylene (PP) filters with PTFE membrane (0.2 and 0.45 μm), 1 silicone pipet holder	1

Corning Gosselin Pipet Controller Spare Parts

Cat. No.	Description	Qty/Cs
FILTREPTFE-01	Filter, PP, with PTFE membrane filter (0.2 μm), autoclavable	10
FILTREPTFE-02	Filter, PP, with PTFE membrane filter (0.45 μm), autoclavable	10
HOLDER-01	Pipet holder, silicone, autoclavable	10



Filter
0.2 μm



Filter
0.45 μm



Pipet holder



Technical Appendix

Features of Corning® Gosselin™ Plasticware	70
Chemical Compatibility of Corning Gosselin Plasticware	71
Traceability	72
Ionization Certificate.....	72
Product Label	72
Glossary.....	73

Features of Corning® Gosselin™ Plasticware

Reagents	HDPE		PS		PP		LDPE		PET	
	68°F 20°C	122°F 50°C	68°F 20°C	122°F 50°C	68°F 20°C	122°F 50°C	68°F 20°C	122°F 50°C	68°F 20°C	122°F 50°C
Perchloric acid	G	N	G	F	G	N	G	N	F	F
Phosphoric acid 85%	R	R	R	G	R	G	R	R	F	F
Sulphuric acid 20%	R	R	R	G	R	G	R	R	N	N
Trichloroacetic acid	G	F	F	N	R	G	G	F	F	N/A
Butyl alcohol	R	R	G	G	R	R	R	R	G	G
Ethyl alcohol	R	R	F	N	R	G	R	G	G	G
Methyl alcohol	R	R	F	N	R	R	R	R	G	F
Acetaldehyde	G	F	N	N	G	N	G	N	F	N
Aniline	R	G	F	F	G	F	R	G	G	F
Benzene	G	G	N	N	G	F	G	N	F	N
Potassium dichromate	R	R	R	G	R	G	R	G	F	N/A
Bromine	F	N	N	N	N	N	N	N	N	N
Bromoform	N	N	N	N	N	N	N	N	N	N
Butadiene	F	N	N	N	N	N	N	N	N	N
Cellosolve	R	R	F	F	R	G	R	G	N/A	N/A
Chlorine (moist)	G	F	N	N	G	N	G	N	N	N
Chlorine in air	R	F	F	N	G	N	G	N	N	N
Chloroform	G	F	N	N	G	F	F	N	N	N
Amyle chloride	F	N	N	N	N	N	N	N	N	N
Ethylene chloride	G	F	N	N	F	N	G	N	N	N
Ethyl chloride	F	F	N	N	F	N	F	N	N	N
Methylene chloride	G	F	N	N	F	N	F	N	N	N
Thionil chloride	N	N	N	N	N	N	N	N	N	N
Cresol	F	N	N	N	G	F	N	N	N	N
Cyclohexane	R	G	N	N	G	F	G	F	R	N/A
P-dichlorobenzene	G	F	N	N	G	F	F	N	F	F
Dioxane	G	G	N	N	G	F	G	F	R	R
Hydrogen peroxide	R	R	R	G	R	G	R	G	R	R
Gasoline	G	G	N	N	G	F	F	N	R	G
Petroleum ether	F	N	F	F	G	F	F	F	R	G
Ethyl ether	N	N	N	N	N	N	F	N	R	G
Formaldehyde	R	R	G	G	R	G	R	G	R	R
Hexane	R	R	N	N	R	R	R	R	R	R
Mineral oil	R	R	R	R	R	R	G	N	R	R
Calcium hypochlorite	R	R	G	F	R	R	R	R	R	R
Sodium hypochlorite	R	R	R	R	R	R	R	R	G	N/A
Kerosene	G	G	N	N	G	F	F	N	R	R
Methyl isobutyl ketone	R	G	N	N	G	F	G	F	G	F
Silver nitrate	R	G	G	F	R	G	G	F	R	R
Ethylene oxide	F	F	N	N	F	F	G	F	N/A	N/A
Potassium permanganate	R	R	G	G	R	G	R	G	R	R
Phenol	G	F	N	N	G	N	G	N	N	N
Propane	F	N	N	N	N	N	N	N	F	N
Turpentine	G	G	N	N	G	F	F	N	G	G
Carbon tetrachloride	G	F	N	N	G	F	F	N	R	R
Tetrahydrofuran	G	F	N	N	G	F	F	N	N	N
Trichloroethane	F	N	N	N	N	N	N	N	N	N
Trichloroethylene	F	N	R	R	N	N	N	N	F	N
Toluene	G	G	N	N	G	F	F	N	R	N
Urea	R	R	G	G	R	R	R	R	R	R
Xylene	G	F	N	N	F	N	G	N	N	N

G = Good resistance for continuous use not exceeding 30 days
F = Fair resistance for continuous use not exceeding 7 days
N = Not recommended for continual use
R = Excellent resistance
N/A = Not applicable

HDPE = High-density polyethylene
 LDPE = Low-density polyethylene
 PET = Polyethylene terephthalate
 PP = Polypropylene
 PS = Polystyrene

Chemical Compatibility of Corning® Gosselin™ Plasticware

Reagents (20°C)	HDPE	PS	PP	LDPE	PET
Weak or diluted acids	R	R	R	R	R
Strong or concentrated acids	R	F	R	R	N
Aliphatic alcohols	R	R	R	R	F
Aldehydes	G	N	G	G	G
Bases	R	R	R	R	N
Esters	G	N	G	G	G
Aliphatic hydrocarbons	G	N	G	F	G
Aromatic hydrocarbons	G	N	F	F	N
Halogenated hydrocarbons	F	N	F	N	N
Cetane	G	N	G	G	F
Oxidizing agents	F	N	F	F	F

G = Good resistance for continuous use not exceeding 30 days
F = Fair resistance for continuous use not exceeding 7 days
N = Not recommended for continual use
R = Excellent resistance
N/A = Not applicable


HDPE = High-density polyethylene
LDPE = Low-density polyethylene
PET = Polyethylene terephthalate
PP = Polypropylene
PS = Polystyrene

The data in this catalog are based on information and documentation provided by our raw material suppliers and on our own many years of technical experience. Customers should test our products to ensure that they are suitable for their own specific requirements. The information provided is for guidance only and we cannot accept further responsibility.

Traceability

All Corning® Gosselin™ products come with convenient traceability features such as labels with lot number and expiration date. These labels easily peel-off and can be placed in your laboratory notebook.


Ionization Certificate



- 1 Sterilization indicator: becomes red after sterilization
- 2 Product information: reference, lot number
- 3 Sterilization information: date, carton number
- 4 Detachable certificate (for your records)
- 5 Details and information remain on the outer carton

Product Label

The product label on the outside of each case clearly displays traceability information.



- 1 Product description in multiple languages
- 2 Product code
- 3 Quantity per case and per inner pack
- 4 Lot number
- 5 Single use symbol
- 6 Year, day, time of production, and case number
- 7 Expiration date
- 8 Bar codes
- 9 Manufacturing plant
- 10 IVD/CE - CE Mark if applicable
- 11 Sterility Assurance Level (SAL)

Glossary

Sterility Assurance Level (SAL)

Sterile SAL 10^{-6}

- ▶ Sterility obtained through use of ionizing radiation
- ▶ Sterilized to achieve a Sterility Assurance Level (SAL) of 10^{-6}
- ▶ Sterilization process is validated per standard AAMI/ANSI/ISO 11137

Sterile SAL 10^{-3}

- ▶ Sterility obtained through use of ionizing radiation
- ▶ Sterilized to achieve a Sterility Assurance Level (SAL) of 10^{-3}
- ▶ Sterilization performed at a lower dose than product with SAL 10^{-6}
- ▶ Sterilization process is validated per standard AAMI/ANSI/ISO 11137

Aseptic

- ▶ Products are produced in a tightly controlled environment
- ▶ Fully automated manufacturing process from product molding to packaging
- ▶ Products that are aseptic do not have a Sterility Assurance Level (SAL).

Standards

- ▶ ISO 11137: Sterilization of health care products – Radiation.
- ▶ Regulation REACH, no. 1907/2006/CE: Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).
- ▶ Regulation (EC) no 1935/2004: on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- ▶ 94/62/EC: The Directive aims to prevent or minimize the impact of packaging and packaging waste on the environment through recovery and recycling targets (absence of heavy metal).

Catalog Number Index

Cat. No.	Page No.	Cat. No.	Page No.	Cat. No.	Page No.	Cat. No.	Page No.
AGI-04	56	FABG-04	52	HFV250-01	26	LC2000-08	18
AGI-06	56	FBAG-03	52	HFV250-02	26	LC2000-09	18
BAC25-02	63	FC500-03	20	HLC250-01	26	LC2000-17	18
BB64-01	9	FC500-12	27	HLC250-02	26	LC2500A-01	19
BB64-02	9	FC510-02	20	HLC520-01	26	LC2500A-02	19
BBAG-03	52	FC510-07	27	HLC520-04	26	LC2500A-03	19
BBAG-04	52	FC520-02	20	HLC1020-01	26	LC2500A-04	19
BH90B-102	10	FC520-08	20	HLC1020-02	26	LC2500A-05	19
BH93B-102	10	FC520-12	27	HLC2020-01	26	LC2500A-06	19
BI93D-101	11	FC1000-18	27	HOLDER-01	67	LC2500A-08	19
BI93D-102	11	FC1000-50	20	HP250B-50	25	LR50A-01	21
BP50-01	9	FC1000-52	20	HP250B-51	25	LR50A-02	21
BP50-02	9	FCP100-01	20	HP250B-52	25	LR50A-05	21
BP53-03	9	FCP100-02	20	HP250B-53	25	LR50A-12	21
BP53-06	9	FCP250-02	20	HP500B-50	25	LR50A-18	21
BP63-08	9	FCP250-03	20	HP500B-51	25	LR100-01	21
BP63-10	9	FCP500-02	20	HP500B-52	25	LR100-03	21
BP63-11	9	FCP500-04	20	HP500B-53	25	LR100-04	21
BP90B-101	10	FCP1000-03	20	HP1000B-50	25	LR100-05	21
BP90B-102	10	FCP1000-04	20	HP1000B-51	25	LR100-12	21
BP93B-101	10	FCP2000-03	20	HP1000B-52	25	LR100-13	21
BP93B-102	10	FCP2000-04	20	HP1000B-53	25	LR150A-01	21
BP124-04	11	FILTREPTFE-01	67	JT10-01	63	LR150A-02	21
BP124-05	11	FILTREPTFE-02	67	JT16-01	63	LR150A-03	21
BP140-01	10	FL35-02	31	JT30-01	63	LR150A-04	21
BP140-02	10	FL52-01	31	JT38-01	63	LR150A-07	21
BP143-06	10	FL60-01	31	JT57-05	63	LR150A-14	21
BP143-07	10	FL60-04	31	LC150A-03	17	LR250-01	21
BT93-02	11	FL60-05	31	LC150A-04	17	LR250-02	21
BTX93-02	11	FL100-01	31	LC150A-05	17	LR250-04	21
CC21-01	42	FL100-04	31	LC150A-07	17	LR250-06	21
CC21-02	42	FL100-05	31	LC150A-09	17	LR250-07	21
CCA21-02	43	FL300-01	31	LC250-01	17	LR250-09	21
CFM-01	51	FL300-02	31	LC250-02	17	LR500-01	22
CLIP-01	52	FL300-04	31	LC250-03	17	LR500-02	22
COUT-02	51	FLY35-02	41	LC250-04	17	LR500-03	22
COX600A-02	59	FLY35-03	41	LC250-06	17	LR500-04	22
COX800A-02	59	FLY50-01	41	LC250-09	17	LR500-05	22
COX1100A-02	59	FLY50-02	41	LC250-10	17	LR500-06	22
COX1800A-02	59	FOUR-01	51	LC250-20	17	LR500-21	22
COX4500A-02	59	FV250-02	23	LC500-01	18	LR1000-01	22
COX7000A-02	59	FV250-05	23	LC500-02	18	LR1000-02	22
CUIG-01	51	FV250-09	23	LC500-03	18	LR1000-03	22
CUIP-01	51	FV250-15	23	LC500-04	18	LR1000-04	22
EPI1B-01	53	FV500-04	23	LC500-06	18	LR1000-05	22
EPI1B-03	53	FV500-05	23	LC500-07	18	LR1000-08	22
EPI1B-05	53	FV500-09	23	LC500-11	18	LR1000-12	22
EPI5-01	53	FV500-14	23	LC500-16	18	LR1000-16	22
EPI24B-01	53	HFC500-01	27	LC500-27	18	LR2000-01	22
EPI24B-02	53	HFC510-01	27	LC1000-01	18	LR2000-02	22
ETAR-01	56	HFC510-02	27	LC1000-02	18	LR2000-03	22
ETAR-02	56	HFC510-03	27	LC1000-04	18	OS1-01	55
ETAR-05	56	HFC510-04	27	LC1000-06	18	OS1B-01	54
ETAR-06	56	HFC520-01	27	LC1000-07	18	OS10-02	55
ETAT-01	56	HFC520-02	27	LC1000-10	18	OS10B-02	54
ETAT-03	56	HFC520-06	27	LC1000-13	18	P1000B-03	16
ETAT-04	56	HFC520-07	27	LC1000-33	18	P125B-05	16
F2000-02	19	HFC1000-50	27	LC2000-01	18	P125B-06	16
F2000-12	19	HFC1000-51	27	LC2000-03	18	P125B-08	16
F2700-02	19	HFC1000-52	27	LC2000-05	18	P125B-50	16
F2700-12	19	HFC1000-53	27	LC2000-07	18	P250B-01	16

Continued on next page

Cat. No.	Page No.	Cat. No.	Page No.	Cat. No.	Page No.	Cat. No.	Page No.
P250B-03.....	16	PR500-02.....	34	SP2-02.....	60	TP35C-012.....	32
P250B-06.....	16	PR800-01.....	34	SP2-05.....	60	TP35C-013.....	32
P250B-50.....	16	PR1000-01.....	34	SP2-18.....	60	TP35C-014.....	32
P250B-51.....	25	PR1000-02.....	34	SP4-38.....	60	TP35C-021.....	32
P250B-52.....	25	PR1050-01.....	34	SP5-08.....	60	TP35C-025.....	32
P500B-09.....	16	PV30-01.....	34	SP8-01.....	60	TP35C-032.....	32
P500B-12.....	16	PV75-01.....	34	SP8-08.....	60	TP35C-042.....	32
P500B-31.....	16	PV100-24.....	34	TAF11-01.....	51	TP35C-052.....	32
P500B-50.....	16	PV125-01.....	34	TAT30C-01.....	51	TP35C-062.....	32
P500B-51.....	25	PV500-01.....	34	TAT52C-01.....	51	TP52C-001.....	33
P500B-52.....	25	S-Blender-1.....	66	TAT53C-02.....	51	TP52C-002.....	33
P1000B-06.....	16	S-Blender-1A.....	66	TC15A-01.....	42	TP52C-003.....	33
P1000B-11.....	16	S-Diluter-1.....	66	TC15A-03.....	42	TP52C-004.....	33
P1000B-50.....	16	SA03-01.....	62	TC50-01.....	42	TP52C-011.....	33
P1000B-51.....	25	SA03-10.....	62	TC50-04.....	42	TP52C-012.....	33
P1000B-52.....	25	SA09-01.....	62	TK75-001.....	39	TP52C-013.....	33
PAS1-00.....	53	SA09-10.....	62	TK75-003.....	39	TP52C-014.....	33
PAS1A-01.....	53	SA14-01.....	62	TK75-006.....	39	TP52C-021.....	33
PAS3-00.....	53	SA14-10.....	62	TK75-018.....	39	TP52C-022.....	33
PAS3A-01.....	53	SA21-01.....	62	TL40-02.....	39	TP52C-023.....	33
PC200A-01.....	35	SA21-10.....	62	TL40-04.....	39	TP52C-032.....	33
PC200A-02.....	35	SA33-01.....	62	TL75-01.....	39	TP53C-001.....	33
PC200A-03.....	35	SA33-10.....	62	TL75-02.....	39	TP53C-002.....	33
PC200A-04.....	35	SB90-101.....	10	TL75-04.....	39	TP53C-003.....	33
PC200A-05.....	35	SB93-101.....	10	TL75-08.....	39	TP53C-004.....	33
PC200A-07.....	35	SB93-102.....	10	TP5-03.....	41	TP53C-011.....	33
PC200A-11.....	35	SBA1123-01.....	61	TP5-14.....	41	TP53C-012.....	33
PC400-01.....	35	SBA1423-01.....	61	TP10-01.....	40	TP53C-013.....	33
PC400-02.....	35	SBA1538-01.....	61	TP10-03.....	40	TP53C-014.....	33
PC400-03.....	35	SBA9518-01.....	61	TP30C-001.....	32	TP53C-021.....	33
PC400-05.....	35	SBAPE1123-01.....	61	TP30C-002.....	32	TP53C-023.....	33
PC400-06.....	35	SBAPE1523-01.....	61	TP30C-003.....	32	TP53C-032.....	33
PC400-09.....	35	SBAPE1930-01.....	61	TP30C-004.....	32	TP53C-042.....	33
PC1000-02.....	35	SBAPE7518-01.....	61	TP30C-011.....	32	TP53C-052.....	33
PC1000-03.....	35	SFAB1727-08.....	60	TP30C-012.....	32	TR95-04.....	40
PC1000-04.....	35	SFAB1727-28.....	60	TP30C-013.....	32	TR95-22.....	40
PC1000-05.....	35	SH90-101.....	10	TP30C-014.....	32	TR95-23.....	40
PC1000-09.....	35	SH93-101.....	10	TP30C-021.....	32	TR95-24.....	40
PC1000-11.....	35	SM1-01.....	52	TP30C-032.....	32	TU50-012.....	43
PC1000-13.....	35	SM2-01.....	52	TP35C-001.....	32	TU50-013.....	43
PCKIT-02.....	67	SM2-02.....	52	TP35C-002.....	32		
PIPB-01.....	59	SM3-01.....	52	TP35C-004.....	32		
PLP-01.....	61	SP2-01.....	60	TP35C-011.....	32		

BIOHAZARD

should be left open to allow permeation
do être maintenu ouvert pour laisser pénétrer


lids of bag should be inspected
Le fond de sac doit être inspecté

For up-to-date information on the
Corning® Gosselin™ brand comprehensive
range of products and services, visit
www.corning.com/microbiology





Corning® Gosselin™ has been a pioneering brand of disposable labware for microbiology since 1965.



www.corning.com/lifesciences/solutions

For premium quality and performance in quality testing labs, you can count on Corning. In our continuous efforts to improve efficiencies and develop new tools for microbiology applications, we have scientists working in Corning labs doing what you do every day, across the globe. From sampling and preparation to bacteria growth and analysis, our technical experts understand your challenges and the changing regulatory requirements that shape your day-to-day processes.

It is this expertise, plus a 160-year legacy of Corning innovation and manufacturing excellence, that puts us in a unique position to be able to offer high quality, reliable microbiology consumables for quality testing labs. The introduction of our Corning Gosselin Microbiology product line has completed our portfolio, creating a beginning-to-end solutions for quality testing labs across industry segments.

For more specific information on claims, visit the Certificates page at www.corning.com/lifesciences.

Warranty/Disclaimer: Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications.

For additional product or technical information, visit www.corning.com/lifesciences or call 800.492.1110. Outside the United States, call +1.978.442.2200 or contact your local Corning sales office.

CORNING

Corning Incorporated
Life Sciences

836 North St.
Building 300, Suite 3401
Tewksbury, MA 01876
t 800.492.1110
t 978.442.2200
f 978.442.2476

www.corning.com/lifesciences

ASIA/PACIFIC
Australia/New Zealand
t 61 427286832

China
t 86 21 3338 4338
f 86 21 3338 4300

India
t 91 124 4604000
f 91 124 4604099

Japan
t 81 3-3586 1996
f 81 3-3586 1291

Korea
t 82 2-796-9500
f 82 2-796-9300

Singapore
t 65 6572-9740
f 65 6861-2913

Taiwan
t 886 2-2716-0338
f 886 2-2516-7500

EUROPE
CSEurope@corning.com

France
t 0800 916 882
f 0800 918 636

Germany
t 0800 101 1153
f 0800 101 2427

The Netherlands
t 020 655 79 28
f 020 659 76 73

United Kingdom
t 0800 376 8660
f 0800 279 1117

All Other European Countries
t +31 (0) 206 59 60 51
f +31 (0) 206 59 76 73

LATIN AMERICA
grupoLA@corning.com

Brasil
t 55 (11) 3089-7400
Mexico
t (52-81) 8158-8400